

1 Natural Resources Drive, Little Rock, AR 72205 Phone: 501-823-1730 Fax: 501-907-2410

www.agriculture.arkansas.gov/livestock-poultry/veterinary-diagnostic-lab

List of Tests and Fees

| Test Name | Sample Details | Fee Per Test Unless Noted | Turn Around Time | Notes |
|--|---|--|-----------------------|---|
| Aerobic bacterial culture (no sensitivities) | Swab, feces, tissue, urine, or other body fluids | \$22 | 2-3 days | Submit in aerobic culturette or sterile container. |
| Aerobic bacterial culture and antibiotic sensitivities | Performed on in-house cultured aerobic bacterial isolates | \$22 plus \$12.50/isolate | 3-5 days | |
| Aflatoxin (quantification) | Feed sample (100 g) | \$60 | 7-10 days | |
| African Swine Fever Virus PCR | Whole blood, tonsil, spleen, lymph node | \$30 | 1-3 days | |
| Anaerobic bacterial culture | Tissue or body fluid | \$35 | 3-5 days | |
| Anaplasma and Ehrlichia spp PCR | EDTA blood, spleen | \$25 | 1-3 days | Does not detect A. ovis or A. bovis |
| Anaplasma ELISA | Serum (1 mL) | \$6/sample up to 10 samples; \$3/sample for each addl sample | Reported on Monday | Performed on Mondays only. Samples must be received by EOB on Friday for results to be reported on Monday. |
| Avian Chicken Anemia Virus ELISA | Serum (1 mL) | \$1.22 | 1-2 days | |
| Avian Duck Viral Enteritis PCR | Oral or cloacal swab, liver, spleen, other tissue | \$25 | 1-3 days | |
| Avian Encephalomyelitis ELISA | Serum (1 mL) | \$1.22 | 1-2 days | |
| Avian Histomonas (Blackhead) PCR | Caeca, liver, suspect tissue with lesions | \$25 | 1-3 days | |
| Avian Infectious Bronchitis ELISA | Serum (1 mL) | \$1.22 | 1-2 days | |
| Avian Infectious Bronchitis PCR | Tracheal, oropharyngeal, or cloacal swab, trachea | \$30 | 1-3 days | |
| Avian Infectious Bursal Disease ELISA | Serum (1 mL) | \$1.22 | 1-2 days | |
| Avian Infectious Bursal Disease PCR | Spleen, bursal tissue, lymphoid tissue | \$30 | 1-3 days | |
| Avian Infectious Laryngotracheitis (ILT) PCR | Tracheal swab, trachea | \$25 | 1-3 days | |
| Avian Influenza AGID | Serum (1 mL) | \$2.25 | 1-2 days | Samples must be received by noon on day of testing. Positives sent to NVSL for confirmation, and TAT increases to 5-7 days. |
| Avian Influenza ELISA | Serum (1 mL) | \$0.80 | 1-2 days | |



1 Natural Resources Drive, Little Rock, AR 72205 Phone: 501-823-1730 Fax: 501-907-2410

| Test Name | Sample Details | Fee Per Test Unless Noted | Turn Around Time | Notes |
|---|---|------------------------------|----------------------|--|
| Avian Influenza PCR | Tracheal, oropharyngeal, or cloacal swabs, tissues | \$30 | 1-3 days | Notify lab in advance if submitting a large number of samples. |
| Avian Mareks Disease PCR | Blood, spleen, other tissue | \$25 | 1-3 days | |
| Avian MG only ELISA | Serum (1 mL) | \$1.22 | | Test not performed often. Call for estimated TAT. |
| Avian MG only PCR | Swab, trachea, lung, air sac | \$25 | 1-3 days | |
| Avian MG only Plate Agglutination | Serum (1 mL) | \$0.26 | 1-2 days | Positives sent to UA-VDL for HI testing. |
| Avian MS only ELISA | Serum (1 mL) | \$1.22 | | Test not performed often. Call for estimated TAT. |
| Avian MS only PCR | Swab, trachea, lung, air sac, synovial fluid, culture isolate | \$25 | 1-3 days | |
| Avian MS only Plate Agglutination | Serum (1 mL) | \$0.65 | 1-2 days | Positives sent to UA-VDL for HI testing. |
| Avian MS/MG Combo ELISA | Serum (1 mL) | \$1 | 1-2 days | |
| Avian Newcastle Disease ELISA | Serum (1 mL) | \$1.22 | 1-2 days | |
| Avian Newcastle Disease PCR | Tracheal, oropharyngeal, or cloacal swab, tissues | \$30 | 1-3 days | |
| Avian Pacheco's Disease PCR | Tracheal swab, spleen, intestine, air sac | \$25 | 1-3 days | |
| Avian Pasteurella multocida PCR | Swabs, tissues, bacterial isolates | \$25 | 1-3 days | |
| Avian Polyomavirus PCR | Liver, heart, spleen, other tissue | \$25 | 1-3 days | |
| Avian Reovirus ELISA | Serum (1 mL) | \$1.22 | 1-2 days | |
| Avian Salmonella pullorum Microagglutination | Serum (1 mL) | \$0.50 | Next business day | Test is only performed Monday through Thursday. Samples must be received by noon for next-day reporting. |
| Avian Salmonella pullorum Plate Test | Serum (1 mL) | \$0.25 | Same day | Samples must be received by noon for same-day reporting. |
| Avian Salmonella pullorum Tube Test | Serum (1 mL) | \$0.50 | Next business day | |



1 Natural Resources Drive, Little Rock, AR 72205 Phone: 501-823-1730 Fax: 501-907-2410

| Test Name | Sample Details | Fee Per Test Unless Noted | Turn Around Time | Notes |
|---|--------------------------------------|------------------------------|---------------------|--|
| Blood Chemistry Avian/Reptile Profile. Includes Na, K, Cl, Ca, P, uric acid, glucose, BUN, Cr, cholesterol, amylase, TP, albumin, globulin, A/G ratio, total bilirubin, ALT, AST, GGT, ALP, CPK, osmolality. | Serum. Centrifuge before sending. | \$25.50 | Same day | Samples must be received by noon for same-day reporting. Underfilled tubes may yield inaccurate results. |
| Blood Chemistry Bile Acids | Serum. Centrifuge before sending. | \$12.50 | Same day | Samples must be received by noon for same-day reporting. Underfilled tubes may yield inaccurate results. Canine: 12 hour fasting, sample collected 2 hours post-prandial. Equine: Single, non-fasted sample. |
| Blood Chemistry Electrolyte Profile. Includes Na, K, Cl, CO2, anion gap. | Serum. Centrifuge before sending. | \$10.50 | Same day | Samples must be received by noon for same-day reporting. Underfilled tubes may yield inaccurate results. |
| Blood Chemistry Large Animal Chem-13 Profile. Includes Ca, Mg, CO2, glucose, BUN, Cr, BUN/Cr ratio, TP, albumin, globulin, A/G ratio, total bilirubin, AST, GGT, CPK. | Serum. Centrifuge before sending. | \$15.50 | Same day | Samples must be received by noon for same-day reporting. Underfilled tubes may yield inaccurate results. |
| Blood Chemistry Large Animal Complete Profile. Includes Na, K, Cl, Ca, P, Mg, CO2, anion gap, glucose, BUN, Cr, BUN/Cr ratio, TP, albumin, globulin, A/G ratio, total bilirubin, ALT, AST, GGT, ALP, CPK, osmolality. | Serum. Centrifuge before sending. | \$25.50 | Same day | Samples must be received by noon for same-day reporting. Underfilled tubes may yield inaccurate results. |
| Blood Chemistry Liver Profile. Includes bilirubin (total, direct, indirect), AST, ALT, ALP, GGT. | Serum. Centrifuge before sending. | \$13 | Same day | Samples must be received by noon for same-day reporting. Underfilled tubes may yield inaccurate results. |
| Blood Chemistry Mineral Profile. Includes Ca, P, Mg. | Serum. Centrifuge before sending. | \$11 | Same day | Samples must be received by noon for same-day reporting. Underfilled tubes may yield inaccurate results. |
| Blood Chemistry Renal Profile. Includes BUN, Cr, BUN/Cr ratio, P | Serum. Centrifuge before sending. | \$13 | Same day | Samples must be received by noon for same-day reporting. Underfilled tubes may yield inaccurate results. |



1 Natural Resources Drive, Little Rock, AR 72205 Phone: 501-823-1730 Fax: 501-907-2410

| Test Name | Sample Details | Fee Per Test Unless Noted | Turn Around Time | Notes |
|--|--|------------------------------|--------------------------------------|--|
| Blood Chemistry Small Animal Chem-13 Profile. Includes Na, K, Cl, glucose, BUN, Cr, BUN/Cr ratio, CO2, anion gap, TP, albumin, globulin, A/G ratio, total bilirubin, ALT, GGT, osmolality. | Serum. Centrifuge before sending. | \$16 | Same day | Samples must be received by noon for same-day reporting. Underfilled tubes may yield inaccurate results. |
| Blood Chemistry Small Animal Complete Profile. Includes Na, K, Cl, Ca, P, glucose, BUN, Cr, BUN/Cr ratio, CO2, anion gap, cholesterol, triglycerides, amylase, TP, albumin, globulin, A/G ratio, total bilirubin, ALT, AST, GGT, ALP, CPK, osmolality. | Serum. Centrifuge before sending. | \$25 | Same day | Samples must be received by noon for same-day reporting. Underfilled tubes may yield inaccurate results. |
| Blood Chemistry. Any blood test may be ordered individually. | Serum. Centrifuge before sending. | \$6 | Same day | Samples must be received by noon for same-day reporting. Underfilled tubes may yield inaccurate results. |
| Blood Lead | EDTA blood (1 mL) | \$20 | 1-3 days | To receive same-day results, lab must be notified that sample is in transit, and sample must arrive before 3:00 pm. |
| Blood Parasite Babesia canis IFAscreening test | Serum | \$15 | Reported on Tuesday and Friday | Tests performed only on Tuesdays and Fridays. Samples must be received by 9am for same-day reporting. |
| Blood Parasite Babesia canis IFAtiter | Serum | \$28 | Reported on Tuesday and Friday | Tests performed only on Tuesdays and Fridays. Samples must be received by 9am for same-day reporting. |
| Blood Parasites Canine ELISA Profile. IDEXX 4DX SNAP Plus. Includes B. burgdorferi (Lyme), E. canis, E. ewingii, A. phagocytophilum, A. platys, and D. immitis (heartworm). | EDTA or heparinized whole blood, serum | \$23 | Same day | Samples must be received by noon for same-day reporting. Lyme vaccination does not interfere with test results. Heartworm test is for antigen, other tests are for antibodies. |
| Blood Parasites Ehrlichia canis IFAscreening test | Serum | \$15 | Reported on Tuesday and Friday | Tests performed only on Tuesdays and Fridays. Samples must be received by 9am for same-day reporting. |
| Blood Parasites Ehrlichia canis IFAtiter | Serum | \$28 | Reported on Tuesday and Friday | Tests performed only on Tuesdays and Fridays. Samples must be received by 9am for same-day reporting. |



1 Natural Resources Drive, Little Rock, AR 72205 Phone: 501-823-1730 Fax: 501-907-2410

| Test Name | Sample Details | Fee Per Test Unless Noted | Turn Around Time | Notes |
|--|---|------------------------------|--------------------------------------|--|
| Blood Parasites Profile. Direct examination for Ehrlichia, Babesia, Hemobartonella, Cytauxzoon, Anaplasma, etc., as appropriate for species of animal. | EDTA blood and unstained, air-dried smear slides | \$7.50 | Same day | Samples must be received by noon for same-day reporting. |
| Blood Parasites Rocky Mountain Spotted Fever (RMSF) IFAscreening test | Serum | \$15 | Reported on Tuesday and Friday | Tests performed only on Tuesdays and Fridays. Samples must be received by 9am for same-day reporting. |
| Blood Parasites Rocky Mountain Spotted Fever (RMSF) IFAtiter | Serum | \$28 | Reported on Tuesday and Friday | Tests performed only on Tuesdays and Fridays. Samples must be received by 9am for same-day reporting. |
| Blood Parasites Tick Profile. Direct examination for E. canis and RMSF IFA screen. | Serum and EDTA blood | \$36 | Reported on Tuesday and Friday | Tests performed only on Tuesdays and Fridays. Samples must be received by 9am for same-day reporting. |
| Blood Phenobarbital | Separated serum (1 mL) | \$20 | Same day | Samples must be received by noon for same-day reporting. Underfilled tubes may yield inaccurate results. |
| Blood Phenylbutazone | Separated serum (2 mL) | \$25 | 7-10 days | |
| Blood Potassium Bromide (KBr) | Separated serum (1 mL) | \$25 | Reported on Tuesday and Friday | Tests performed only on Tuesdays and Fridays. Samples must be received by noon for same-day reporting. |
| Blood Reticulocyte Count. Includes percent and absolute count if done with CBC. | EDTA whole blood and air-dried smear slide | \$10 | Same day | Samples must be received by noon for same-day reporting. Underfilled tubes may yield inaccurate results. |
| Bluetongue PCR | EDTA blood, infected tissue | \$30 | 1-3 days | |
| Bovine Abortion Panel. Includes IBR SN, BVD SN, Leptospira MAT, Brucellosis plate agglutination, Neospora ELISA) | Paired serum samples (1 mL) | \$35/panel | 1-2 weeks | Paired serum samples will give the best results. Federal Brucellosis chart is required. Tests performed on different days. |
| Bovine Coronavirus PCR | Feces (2 g or 2 mL), bowel, lung, nasal swab, infected tissue | \$30 | 1-3 days | |
| Bovine Leukemia Virus (BLV) ELISA | Serum (1 mL) | \$8 | Reported on Monday | Performed on Mondays only. Samples must be received by EOB on Friday for results to be reported on Monday. |



1 Natural Resources Drive, Little Rock, AR 72205 Phone: 501-823-1730 Fax: 501-907-2410

| Test Name | Sample Details | Fee Per Test Unless Noted | Turn Around Time | Notes |
|--|---|---|-----------------------|---|
| Bovine Pregnancy ELISA | Serum (1 mL) | \$20 flat fee for samples 1 thru 4; \$20 + \$5/sample for samples 5 thru 10; \$50 + \$3/sample for samples 11 plus | Reported on Monday | Performed on Mondays only. Samples must be received by EOB on Friday for results to be reported on Monday. Test can be performed as early as 28 days post breeding or more than 60 days post calving. |
| Bovine Respiratory Syncytial Virus FA | Lung, intestine | \$15 | Reported on Friday | Performed on Fridays only. Samples must be received by EOB on Thursday for results to be reported on Friday. |
| Bovine Rotavirus PCR | Feces (2 g or 2 mL), intestine | \$25 | 1-3 days | |
| Bovine Viral Diarrhea (BVD) PI SNAP | Ear notch (fresh tissue only), serum | \$5.50 | 1-2 days | Do not send tissues in fixative or preservative. Notify lab if submitting more than 20 samples. |
| Bovine Viral Diarrhea (BVD) Type 1 SN | Serum, paired samples | \$7 | Reported on Monday | Performed on Fridays only. Samples must be received by EOB on Thursday for results to be reported on Monday. |
| Bovine Viral Diarrhea (BVD) Type 2 SN | Serum, paired samples | \$7 | Reported on Monday | Performed on Fridays only. Samples must be received by EOB on Thursday for results to be reported on Monday. |
| Bovine Viral Diarrhea (BVD) Types 1 and 2 PCR | EDTA blood (5 mL), serum, nasal swab, suspect tissues | \$30 | 1-3 days | |
| Brucella canis Card Agglutination (screening test) | Serum (1 mL) | \$16 | Same day | Sample must be received by noon for same-day reporting. |
| Brucellosis BAPA (plate agglutination) | Serum (1 mL) | \$2 | Same day | Federal Brucellosis chart required if testing bovine samples. Samples must be received by noon for same-day reporting. Positives sent to NVSL for confirmation, and TAT increases to 5-7 days. |
| Brucellosis Card Test | Serum (1 mL) | \$2 | Same day | Test is performed Monday through Friday if this is the only test requested. Samples must be received by noon for sameday reporting. |
| Campylobacter Isolation | Feces, intestinal swab | \$14 | 3-5 days | |



1 Natural Resources Drive, Little Rock, AR 72205 Phone: 501-823-1730 Fax: 501-907-2410

| Test Name | Sample Details | Fee Per Test Unless Noted | Turn Around Time | Notes |
|--|---|------------------------------|--------------------------------------|--|
| Canine Adenovirus (CAV-1 and CAV-2) PCR | Nasal, eye, or oral swab, tissues | \$25 | 1-3 days | |
| Canine Coronavirus FA | Intestine | \$15 | Reported on Friday | Test performed on Fridays only. Sample must be received by 8am Friday for same-day reporting. |
| Canine Distemper Virus FA | Tissue | \$15 | Reported on Friday | Test performed on Fridays only. Sample must be received by 8am Friday for same-day reporting. |
| Canine Distemper Virus IgG and IgM IFA | CSF (1 mL) | \$35 | Reported on Tuesday and Friday | Test performed on Tuesdays and Fridays only. Samples must be received by 9am on the day of testing for same-day reporting |
| Canine Distemper Virus IgG Titer IFA. For vaccination status | Serum (1 mL) | \$35 | Reported on Tuesday and Friday | Test performed on Tuesdays and Fridays only. Samples must be received by 9am on the day of testing for same-day reporting |
| Canine Distemper Virus PCR | Swab from lung, brain, suspect tissue, or tissues | \$30 | 1-3 days | Notify lab in advance if submitting a large number of samples. |
| Canine Herpesvirus-1 PCR | Swabs, tissues | \$25 | 1-3 days | |
| Canine Parvovirus FA | Intestine, tongue | \$15 | Reported on Friday | Test performed on Fridays only. Sample must be received by 8am Friday for same-day reporting. |
| Canine Parvovirus IgG Titer IFA. For vaccination status | Serum (1 mL) | \$35 | Reported on Tuesday and Friday | Test performed on Tuesdays and Fridays only. Samples must be received by 8am on the day of testing for same-day reporting |
| Canine Parvovirus PCR | Feces, intestine, swab | \$25 | 1-3 days | |
| Canine TCC (transitional cell carcinoma) Bladder Tumor Test | Urine (1 mL) | \$21.50 | Same day | Samples must be received by noon for same-day reporting. Test should be performed within 48 hours of sample collection. False positive possible if there is increased protein, glucose, RBC, or WBC. |
| Caprine Herpesvirus-1 PCR | Swab, tissue | \$25 | 1-3 days | |
| Carbamate Screen | Stomach contents, vomitus, bait | \$50 | 7-10 days | |
| Carcass Disposal >1200 lb per animal | | \$400/animal | | Please call before bringing in a large carcass. |



1 Natural Resources Drive, Little Rock, AR 72205 Phone: 501-823-1730 Fax: 501-907-2410

| Test Name | Sample Details | Fee Per Test Unless Noted | Turn Around Time | Notes |
|---|--|---|---------------------|--|
| Carcass Disposal 100-200 lb per animal | | \$25/animal | | Please call before bringing in a large carcass. |
| Carcass Disposal 200-500 per animal | | \$250/animal | | Please call before bringing in a large carcass. |
| Carcass Disposal 500-1200 lb per animal | | \$300/animal | | Please call before bringing in a large carcass. |
| Carcass Disposal <100 lb per animal | | \$15/animal | | Please call before bringing in a large carcass. |
| Chlamydia PCR | Swab, tissue | \$25 | 1-3 days | |
| Classical Swine Fever PCR | Tonsil, tonsil scraping, spleen, lymph node | \$30 | 1-3 days | |
| Clostridium spp. Identification FA (C. chauvoei, C. novyii, C. septicum, C. sordelli) | Skeletal muscle, heart, other tissue | \$15 | 2-4 days | |
| Complete Blood Count (CBC) Avian/Reptile. Includes manual WBC, manual differential, RBC morphology, Hgb, PCV, total protein, thrombocyte estimate. | EDTA whole blood and air-dried smear slide | \$20 | Same day | Samples must be received by noon for same-day reporting. Underfilled tubes may yield inaccurate results. |
| Complete Blood Count (CBC). Includes WBC, RBC, Hgb, indices, platelets, manual differential with morphology. Small animal CBC includes blood parasites. Large animal CBC includes fibrinogen. | EDTA whole blood and air-dried smear slide | \$13.50 | Same day | Samples must be received by noon for same-day reporting. Underfilled tubes may yield inaccurate results. |
| Coombs Direct (canine or feline). Used to diagnose IMHA. | EDTA blood | \$16 | Same day | Samples must be received by noon for same-day reporting. |
| Cushing's ACTH Stimulation Test | Two samples (pre and post) of separated serum. Do not use gel separator tubes. | \$22 for two samples from same animal | Same day | Samples must be received by noon for same-day reporting. Lipemia may decrease cortisol concentration. |
| Cushing's Cortisol (baseline) | Separated serum. Do not use gel separator tubes. | \$16 for one sample | Same day | Samples must be received by noon for same-day reporting. |
| Cushing's High-Dose Dexamethasone Suppression Test | Two samples (pre and post) of separated serum. Do not use gel separator tubes. | \$22 for two samples from same animal | Same day | Samples must be received by noon for same day reporting. Lipemia may decrease cortisol concentration. |
| Cushing's Low-Dose Dexamethasone Suppression Test | Two samples (pre and post) of separated serum. Do not use gel separator tubes. | \$22 for two samples from same animal | Same day | Samples must be received by noon for same day reporting. Lipemia may decrease cortisol concentration. |



1 Natural Resources Drive, Little Rock, AR 72205 Phone: 501-823-1730 Fax: 501-907-2410

| Test Name | Sample Details | Fee Per Test Unless Noted | Turn Around Time | Notes |
|--|---|--------------------------------|--|--|
| Cyanide | Plants, GI contents (25 g) | \$10 | 7-10 days | Freeze sample immediately after collecting in air-tight container. |
| Dermatophyte Culture. Includes isolation and identification. | Hair, skin swabs, skin scrapings | \$12 | 2-4 weeks | Samples should be sent in dry, sterile containers. |
| Eastern Equine Encephalomyelitis (EEE) PCR | Brain, cerebrospinal fluid, oral swabs, other tissues, mosquitoes | \$30 | 1-3 days | |
| Epizootic Hemorrhagic Disease PCR | Blood, spleen, liver, other tissues | \$30 | 1-3 days | |
| Equine Herpesvirus-1 (EHV-1) PCR | Nasopharyngeal swab, citrated blood if early in infection process, CNS tissue, other tissue | \$25 | 1-3 days | |
| Equine Infectious Anemia (EIA) AGID | Serum (1 mL) | \$4 plus \$3 regulatory fee | Next business day or 24 hours after sample is received | Sample must be received by noon for reporting the next business day. Positive tests will be sent to NVSL for confirmation, increasing TAT to 5-7 days. |
| Equine Infectious Anemia (EIA) ELISA | Serum (1 mL) | \$4 plus \$3 regulatory fee | Same day | Samples must be received by noon for same-day reporting. Non-negative tests will be sent to NVSL for confirmation, increasing TAT to 5-7 days. |
| Equine Infectious Anemia (EIA) ELISA RUSH Testing | Serum (1 mL) | \$20 | Same day | RUSH FEE will be charged if sample is received by 2:30 pm on the day the results are requested. |
| Ethylene Glycol Screen (GC/MS) | Urine (1 mL), kidney (10 g), stomach contents (25 g) | \$50 | 7-10 days | Qualitative screen for dogs and cats with suspected exposure to antifreeze. |
| Ethylene Glycol Screen (spectrophotometry) | Serum or plasma | \$45 | 1-3 days | To receive same-day results, lab must be notified that sample is in transit, and sample must be received by 11:00 am. Rapid assay for dogs and cats with suspected exposure to antifreeze. |



1 Natural Resources Drive, Little Rock, AR 72205 Phone: 501-823-1730 Fax: 501-907-2410

| Test Name | Sample Details | Fee Per Test Unless Noted | Turn Around Time | Notes |
|--|---|------------------------------|-----------------------|---|
| Fecal Baermann (lung flukes) | Feces (minimum 20 g) | \$18 | Next business day | Samples must be received by 9am for next-day reporting. Samples must be less than 48 hours old for fluke viability. Tests are not run on Fridays. |
| Fecal Egg Count (ruminants) | Feces (4 g) | \$16 | Same day | Samples must be received by noon for same-day reporting. |
| Fecal Float | Feces (4 g) | \$12 | Same day | Samples must be received by noon for same-day reporting. |
| Fecal Giardia Antigen Test | Feces (1 g) | \$15 | Same day | Samples must be received by noon for same-day reporting. |
| Fecal Panel. Includes aerobic culture, Salmonella screen, Campylobacter isolation. | Feces | \$37 | 3-5 days | |
| Fecal Smear (Direct) | Feces (1 g) | \$7 | Same day | Samples must be received by noon for same-day reporting. |
| Feline Calicivirus PCR | Nasal, ocular, or oral swab, lung, tissue | \$30 | 1-3 days | |
| Feline Herpesvirus PCR | Nasal, ocular, or oral swab, lung, tissue | \$25 | 1-3 days | |
| Feline Infectious Peritonitis (FIP) ELISA | Serum (1 mL) | \$25 | Same day | Samples must be received by noon for same day reporting. |
| Feline Infectious Peritonitis (FIP) PCR | Thoracic or peritoneal fluid | \$30 | 1-3 days | |
| Feline Panleukopenia Virus FA | Intestine, lymph node, brain, bone marrow | \$15 | Reported on Friday | Test performed on Fridays only. Sample must be received by 8am Friday for same-day reporting. |
| Feline Panleukopenia Virus PCR | Feces, intestinal contents, rectal swab, intestine, other suspect tissues | \$25 | 1-3 days | |
| FeLV and FIV ELISA | Serum, whole blood | \$20 | Same day | Samples must be received by noon for same day reporting. |
| Foot and Mouth Disease PCR | Tissue with vesicular lesions, oral or lesion swab | \$30 | 1-3 days | |
| Fumonisin (quantification) | Feed sample (100 g) | \$60 | 7-10 days | |
| Fungal Serology Profile AGID (Aspergillus, Blastomyces, Coccidioides, Histoplasma) | Serum (1 mL) | \$45/panel | Next business day | |
| FungalAspergillosis Serology AGID | Serum (1 mL) | \$12 | Next business day | |
| FungalBlastomycosis Serology AGID | Serum (1 mL) | \$12 | Next business day | False negative possible. |



1 Natural Resources Drive, Little Rock, AR 72205 Phone: 501-823-1730 Fax: 501-907-2410

| Test Name | Sample Details | Fee Per Test Unless Noted | Turn Around Time | Notes |
|--|---|--|--------------------------------------|---|
| FungalCoccidioidomycosis Serology AGID | Serum (1 mL) | \$12 | Next business day | |
| FungalHistoplasmosis Serology AGID | Serum (1 mL) | \$12 | Next business day | False negative possible. |
| Heartworm Antibody (feline). Heska for cats. | EDTA or heparinized whole blood, serum | \$11 | Same day | Samples must be received by noon for same-day reporting. |
| Heartworm Antigen (canine). Dirocheck for dogs. Detects mature female worms. | EDTA or heparinized whole blood, serum | \$9 | Reported on Tuesday and Friday | Tests performed only on Tuesdays and Fridays. Samples must be received by noon for same-day reporting. |
| Heartworm Microfilaria Identification. Modified Knott's and direct blood smear. | EDTA blood (minimum 1 mL) | \$12 | Same day | Samples must be received by noon for same-day reporting. |
| Histopathology H&E Stained Slide With Diagnosis | Formalinized or paraffin-embedded tissue. | \$38 first site, \$6 each addl site | 3-5 days | |
| Histopathology Slide Preparation. Slides returned to submitter for analysis. | Formalinized or paraffin-embedded tissue. | \$7 each slide | 3-5 days | |
| Histopathology Slide Recut | Formalinized or paraffin-embedded tissue. | \$6 each slide | 3-5 days | |
| Histopathology Special Stains | Formalinized or paraffin-embedded tissue. | \$7 each stain | 3-5 days | |
| Infectious Bovine Rhinotracheitis (IBR) PCR | Nasal swab, suspect tissue | \$25 | 1-3 days | |
| Infectious Bovine Rhinotracheitis (IBR) SN | Serum, paired samples | \$7 | Reported on Monday | Performed on Fridays only. Samples must be submitted by 8am on Friday for results to be reported on Monday. |
| Influenzavirus PCR | Nasal swab or tissues | \$30 | 1-3 days | For all influenza variants. |
| Johne's Disease ELISA (bovine only) | Serum (1 mL) | \$6 for one sample, \$5 if more than one sample is submitted at the same time | Reported on Monday | Performed on Mondays only. Samples must be submitted by EOB on Friday for results to be reported on Monday. |
| Johne's Disease PCR | Feces (2 g), intestine | \$25 | 1-3 days | Notify lab in advance if submitting a large number of samples. |



1 Natural Resources Drive, Little Rock, AR 72205 Phone: 501-823-1730 Fax: 501-907-2410

| Test Name | Sample Details | Fee Per Test | Turn Around | Notes |
|---|---------------------------------|---|-------------|---|
| Leptospira PCR (L. icterohaemorrhagiae, L. canicola, L. pomona, L. hardjo, L. bratislava, L. grippotyphosa, L. autumnalis) | Urine, kidney | \$25 | 1-3 days | |
| Leptospira spp. MAT (L. icterohaemorrhagiae, L. canicola, L. pomona, L. hardjo, L. bratislava, L. grippotyphosa, L. autumnalis) | Serum only | \$18/specimen up to 10, \$6/specimen for each addl | 1-2 weeks | Performed on Tuesdays only. Samples must be submitted to the lab by EOB on Monday or they will be held until the next week. |
| Malignant Catarrhal Fever PCR | Whole blood, tissue, swab | \$25 | 1-3 days | |
| Metaldehyde | Stomach contents, vomitus, bait | \$30 | 7-10 days | Suspected toxic exposure to snail/slug bait. |
| Mycoplasma spp. PCR | Tissue, swab, any fluid | \$25 | 1-3 days | |
| Necropsy Equine <200 lb | | \$175/animal | 2-3 weeks | Please call before bringing in a large carcass. |
| Necropsy Equine > 1200 lb | | \$275/animal | 2-3 weeks | Please call before bringing in a large carcass. |
| Necropsy Equine 200-400 lb | | \$200/animal | 2-3 weeks | Please call before bringing in a large carcass. |
| Necropsy Equine 400-800 lb | | \$225/animal | 2-3 weeks | Please call before bringing in a large carcass. |
| Necropsy Equine 800-1200 lb | | \$250/animal | 2-3 weeks | Please call before bringing in a large carcass. |
| Necropsy Equine Spinal Cord Removal. Done in conjunction with a necropsy. | | \$40 | 2-3 weeks | Please call before bringing in a large carcass. |
| Necropsy Livestock <100 lb | Carcass | \$70/animal; \$20/animal for each addl | 2-3 weeks | |
| Necropsy Livestock >1500 lb | Carcass | \$225/animal | 2-3 weeks | Please call before bringing in a large carcass. |
| Necropsy Livestock 100-500 lb | Carcass | \$90/animal | 2-3 weeks | Please call before bringing in a large carcass. |
| Necropsy Livestock 1200-1500 lb | Carcass | \$200/animal | 2-3 weeks | Please call before bringing in a large carcass. |
| Necropsy Livestock 500-900 lb | Carcass | \$150/animal | 2-3 weeks | Please call before bringing in a large carcass. |
| Necropsy Livestock 900-1200 lb | Carcass | \$175/animal | 2-3 weeks | Please call before bringing in a large carcass. |
| Necropsy Livestock Abortion or Neonate (<10 days). | Fetus and placenta | \$90/animal | 2-3 weeks | Submitting both fetus and placenta can improve diagnostic results. |



1 Natural Resources Drive, Little Rock, AR 72205 Phone: 501-823-1730 Fax: 501-907-2410

| Test Name | Sample Details | Fee Per Test Unless Noted | Turn Around Time | Notes |
|---|---|--|-----------------------|--|
| Necropsy Livestock Additional Fee For Unscheduled Large Animal Necropsy | | \$40 | | Please call before bringing in a large carcass. There is no fee for after-hours drop-off of large animals unless lab is not contacted first. |
| Necropsy Livestock After Hours Necropsy Fee | | \$40 | | Please call before bringing in a large carcass. There is no fee for after-hours drop-off of large animals unless the lab is not contacted first. |
| Necropsy Livestock Spinal Cord Removal. Done in conjunction with necropsy. | | \$40 | 2-3 weeks | Please call before bringing in a large carcass. |
| Necropsy Poultry Backyard Flock | Carcass | no cost | 2-3 weeks | |
| Necropsy Poultry Commercial | 5-8 birds per house | \$60/house | 2-3 weeks | |
| Necropsy Small Animal | Carcass | \$70/animal plus ancillary test fees | 2-3 weeks | Includes companion animals, pet birds, and exotics. |
| Necropsy Small Animal Abortion or Neonate (<10 days) | Fetus and placenta | \$70/animal; \$15/animal for each addl, plus ancillary test fees | 2-3 weeks | Submitting both fetus and placenta will improve diagnostic results. |
| Necropsy Small Animal Spinal Cord Removal. Done in conjunction with a necropsy. | | \$25 | 2-3 weeks | |
| Necropsy Wildlife | Carcass | See Livestock Necropsy fees | 2-3 weeks | |
| Neospora caninum ELISA (bovine only) | Serum (1 mL) | \$12 | Reported on Monday | Performed on Mondays only. Sample must be received by EOB on Friday. |
| Neospora caninum PCR | Brain, heart, liver, kidney of aborted fetus, suspect tissues | \$25 | 1-3 days | |
| Nitrate and Nitrite | Ocular fluid, serum (2 mL) | \$10 | 1-3 days | DO NOT use EDTA, heparin, or citrate tubes. |
| Nitrate and Nitriteforage | Forage (10 g) | \$20 | 7-10 days | |
| Parainfluenza (PI3) FA | Lung | \$15 | Reported on Friday | Performed on Fridays only. Sample must be received by 8am Friday for same-day reporting. |
| Porcine Circovirus PCR | Lung, suspect tissue | \$25 | 1-3 days | |
| Porcine Epidemic Diarrhea Virus PCR | Feces, fecal swab, environmental swab, intestine, feed | \$30 | 1-3 days | |



1 Natural Resources Drive, Little Rock, AR 72205 Phone: 501-823-1730 Fax: 501-907-2410

| Test Name | Sample Details | Fee Per Test Unless Noted | Turn Around Time | Notes |
|--|---|---|-----------------------|--|
| Porcine Parvovirus FA | Intestine | \$15 | Reported on Friday | Performed on Fridays only. Sample must be received by 8am Friday for same-day reporting. |
| Porcine Reproductive and Respiratory Syndrome (PRRS) PCR | Lung, suspect tissue | \$30 | 1-3 days | |
| Progesterone (canine or equine) | Serum. Do not use gel separator tubes. | \$16 | Same day | Samples must be received by noon for same-day reporting. |
| Pseudorabies g1 ELISA. Includes Brucellosis card test. | Serum (1 mL) | \$3.50 | Reported on Monday | Performed on Mondays only. Sample must be received by EOB on Friday. Positives sent to NVSL for confirmation, and TAT increases to 5-7 days. |
| Rabies Submission. Contact lab before submitting samples. | Head or entire carcass | Disposal fee plus courier fee. Contact lab. | 2-4 days | Testing is done at the Arkansas Health Department. |
| Relaxin (canine or feline pregnancy) | Serum, heparinized, or EDTA blood (0.5 mL) | \$22 | Same day | Samples must be received by noon for same-day reporting. Dog must be at least 27 days post-breeding. |
| Salmonella O-Antigen Serogrouping | Swab, feces, tissue | \$5 | 3-5 days | |
| Salmonella O-Antigen SerogroupingNPIP | Swab, feces, tissue | \$15 | 5-15 days | |
| Salmonella Screen | Swab, feces, tissue | \$10 | 2-5 days | Screening test only. |
| Salmonella ScreenNPIP | Swab, feces, tissue | \$10 | 5-10 days | Screening test only. |
| Strychnine | Stomach contents, vomitus, bait, urine | \$40 | 7-10 days | |
| Swine Influenzavirus PCR | Nasal swab, lung | \$30 | 1-3 days | |
| Thyroid Free T4 (chemiluminescence) | Separated serum or spun serum separator tube | \$13 | Same day | Samples must be received by noon for same-day reporting. Lipemia may increase thyroid hormone concentrations. |
| Thyroid Free T4 and TSH (canine) (chemiluminescence) | Separated serum or spun serum separator tube | \$19.50 | Same day | Samples must be received by noon for same-day reporting. Lipemia may increase thyroid hormone concentrations. |
| Thyroid Total T4 (chemiluminescence) | Separated serum or spun serum separator tube | \$13 | Same day | Samples must be received by noon for same-day reporting. Lipemia may increase thyroid hormone concentrations. |
| Thyroid Total T4 and Free T4 (canine) | Separated serum or spun serum separator tube | \$19.50 | Same day | Samples must be received by noon for same-day reporting. Lipemia may increase thyroid hormone concentrations. |



1 Natural Resources Drive, Little Rock, AR 72205 Phone: 501-823-1730 Fax: 501-907-2410

| Test Name | Sample Details | Fee Per Test Unless Noted | Turn Around Time | Notes |
|---|--|------------------------------|-----------------------|---|
| Thyroid Total T4 and TSH (canine) (chemiluminescence) | Separated serum or spun serum separator tube | \$19.50 | Same day | Samples must be received by noon for same-day reporting. Lipemia may increase thyroid hormone concentrations. |
| Thyroid Total T4, Free T4, and TSH (canine) (chemiluminescence) | Separated serum or spun serum separator tube | \$26 | Same day | Samples must be received by noon for same-day reporting. Lipemia may increase thyroid hormone concentrations. |
| Thyroid TSH (canine only) (chemiluminescence) | Separated serum or spun serum separator tube | \$13 | Same day | Samples must be received by noon for same-day reporting. Lipemia may increase thyroid hormone concentrations. |
| Toxin Screen | Stomach contents, vomitus, bait, urine. NO LIVER. | \$60 | 7-10 days | Contact lab for consultation. |
| Transmissable Gastroenteritis PCR | Feces, fecal swab, intestine | \$30 | 1-3 days | |
| Tritrichomonas foetus PCR | Livestock: preputial or vaginal wash sample shipped in culture bag. Companion animal: feces shipped in culture bag | \$25 | 1-4 days | Includes 2-day culture. Do not refrigerate sample. |
| Urinalysis. Includes dipstick, SG, sediment analysis. | Urine (5 mL) | \$10 | Same day | Samples must be received by noon for same-day reporting. Volume is needed to semiquantitate sediment. |
| Urinary Stones | stones from bladder or urine | \$15 | Reported on Friday | Test performed only on Fridays. Submit in a clean, dry container. Do not submit in any fluids. |
| Urine Drug Screen | Urine | contact lab | contact lab | |
| Urine Protein/Creatinine Ratio | Urine (1 mL) | \$12 | Same day | Samples must be received by noon for same-day reporting. |
| West Nile Virus (WNV) PCR | Brain, oral swab, cerebrospinal fluid, tissues, mosquitos | \$30 | 1-3 days | |